

SX-MOUNT (M5/M6)

Mobile roof, trunk and wing mount

Strong and reliable universal mount for roof, trunk and wing mounting. It can be mounted from the inside as well as from the outside. It accepts antenna whips with external M5 threaded stud or with internal M6 thread (by use of the supplied M5/M6 threaded adapter)

- UNIVERSAL MOUNTING
- TILTABLE IN ALL DIRECTIONS



Electrical Specifications:

Frequency	0 - 1000 MHz
-----------	--------------

Impedance	50 ohm
-----------	--------

Mechanical Specifications:

Color	Black
-------	-------

Diameter	45 mm
----------	-------

Mounting	Bolt-on (From inside or outside)
----------	----------------------------------

Materials	PC, PE, brass and steel
-----------	-------------------------

Operating temperature	-40C to +70C
-----------------------	--------------

Connector 1	See "ORDERING INFO" (Other types available)
-------------	---

Cable	See "ORDERING INFO" (Other lengths available)
-------	---

Mounting place	On vehicle roof, trunk or wing
----------------	--------------------------------

Height above roof	46 mm
-------------------	-------

Mounting hole	Mounted from inside: Ø 13 mm, Mounting from outside: Ø 19 mm
---------------	--

Build-in depth	Approx. 12 mm
----------------	---------------

Ingress Protection	IP65 (When mounted)
--------------------	---------------------



Ordering information:


Part no.	46500 (0.1 m cable + FME-male)
Part no.	46500IP (0.1 m cable + FME-male - Bulk packing)
Part no.	46504 (4 m cable + open end)
Part no.	46504IP (4 m cable + open end - Bulk packing)
Part no.	46505 (5 m cable + open end)
Part no.	46505IP (4 m cable + open end - Bulk packing)
Part no.	46510 (5 m cable + FME-female + BNC-male adapter)
Part no.	46510IP (5 m cable + FME-female + BNC-male adapter)
Part no.	46515 (5 m cable + FME-female)
Part no.	46515IP (5 m cable + FME-female - Bulk packing)

Packing information:

Packing	Polybag or bulk
---------	-----------------



Outline Drawing



SX-Mount Instruction

MOUNTING INSTRUCTION

