


Auger compactors

 Container Pressen | Schneckenverdichter | Ballenpressen | Umlade- und Verschiebeanlagen | Hub-Kippvorrichtungen
Compactors | Auger Compactors | Balers | Transfer and Shifting Stations | Bin Lifters



Auger compactors

Versatile and effective

PRESTO auger compactors are high-performance compactors that can be used wherever large quantities of recycling material or waste have to be disposed with little space available.

The auger with horizontal bearings on one side presses the material continuously into the PRESTO container. The degree of filling is up to 60 % higher than with a plunger compactor.

When the full PRESTO container is carried away the compactor unit stays on site, making better use of the vehicle payload.

Easy and safe

Reliable function and user-friendliness go without saying for all PRESTO products. Not only in operation, but also in terms of integration into the working environment.

A PRESTO static auger compactor is ready for use as soon as the machine is installed on its foundation and power is supplied.



Carefree disposal

The reuse of recycling material or disposal of waste is an important task in the business activities of many companies. PRESTO auger compactors make a significant contribution to cost minimization.

Our long-standing experience in environmental technology and our most modern development and production methods allow us to manufacture products which our customers use as a functional and cost-efficient link in the chain of recycling material compaction and disposal.

Tailored for customer needs

PRESTO auger compactors are used for highly expensive recycling materials in retail chains and industrial enterprises as well as for other demanding applications.


We offer a broad range of accessories and adapt the machines to the local situation so as to meet all customer-specific requirements.

We develop your individual optimum solution for your disposal problem.

Talk to us !

Features and benefits

- The conical auger achieves a high degree of compaction and thus a very high container content weight.
- The auger prevents any jamming of expansive materials.
- The automatic lubrication system reduces the maintenance effort, it is resistant to dirt and ensures a long service life.
- Material-specific feeding accessories pre-crush the materials and prevents materials from bridging.



Guaranteed powerful performance


The robust steel construction and quality workmanship ensure a long service life and reliability.

The special compaction method ensures easy emptying with a maximum degree of compaction and needs little space.

The overload protection and automatic reversing features make for a longer machine service life.

High-quality components ensure reliable function, low maintenance and quiet operation < 65 dB (A).

Of course our paints are lead and chromium free, and you can select the colour of your choice.



		SP	SPN 11	SPN 15
Length (L)	mm	1335	1510	1510
Width without coupling system	mm	1620	1620	1620
Height (H)	mm	1250	1250	1250
Feeding opening	mm	1200 x 1380	1225 x 1380	1225 x 1380
Auger speed	n/min	14	15	15
Rated torque	Nm	7484	7004	9550
Machine weight	kg	1800	2200	2200
Motor power rating	kW	11	11	15
Electrical power supply		3 L / N / PE; 400 V, 50 Hz		

Subject to technical modifications without notice

container		SPB 16	SPB 20	SPB 25	SPB 28	SPB 30
Content	m ³	16	20	25	28	30
Length (L)	mm	4190	4730	5450	6000	6540
Width (B)	mm	2420	2420	2420	2420	2420
Height (H)	mm	2350	2350	2500	2500	2500
Dist. container end to locking trunnion (V)	mm	2655	2925	3275	3555	3775
Machine weight	kg	2600	2800	3000	3100	3200

Skip containers upon enquiry