


NORNA-PLAYGROUNDS	
Max klatresystem	
0102-049-001	
17.11.2023	REV. A 04.06.2024

< 2800




≥ EN 1176





NORNA-PLAYGROUNDS	
Max klatresystem	
0102-049-001	
17.11.2023	REV. A 04.06.2024

< 2800




≥ EN 1176




This drawing is the property of NORNA-PLAYGROUNDS and pursuant to current legislation may not be copied, transferred to or used by any third party. Should this drawing be used, a fee of 10% of the assumed contract price will be charged.


NORNA-PLAYGROUNDS	
Max klatresystem	
0102-049-001	
17.11.2023	REV. A 04.06.2024



NORNA-PLAYGROUNDS	
Max klatresystem	
0102-049-001	
17.11.2023	REV. A 04.06.2024



NORNA-PLAYGROUNDS	
Max klatresystem	
0102-049-001	
17.11.2023	REV. A 04.06.2024



NORNA-PLAYGROUNDS

Max klatresystem

0102-049-001



17.11.2023

REV. A 04.06.2024

< 2800




≥ EN 1176




1:50

NORNA-PLAYGROUNDS	
Max klatresystem	
0102-049-001	
17.11.2023	REV. A 04.06.2024



Mont.p. nr.

- 2
- 3
- 4
- 6
- 19



This drawing is the property of NORNA-PLAYGROUNDS and pursuant to current legislation may not be copied, transferred to or used by any third party. Should this drawing be used, a fee of 10% of the assumed contract price will be charged.

NORNA-PLAYGROUNDS

Max klatresystem

0102-049-001


17.11.2023

REV. A 04.06.2024

< 2800



≥ EN 1176



1:75

Parts list			
Mrk.	QTY	Part.no	Ground Height
1	1	160-180-3400	1500,1900
2	1	160-180-3700	1300,1700
3	1	160-180-4200	1050,1500,1700,1950,2500
4	1	160-180-3000	650,900,950,1150,1400,1500
5	1	160-180-2200	700
6	1	160-180-4100	1800,1850,2150,2700
7	1	160-180-3700	1100,1700,1750,2100,2600
8	1	160-180-3400	1100,1190,2100,2150
9	1	160-180-4600	1200,1670,1955
10	1	160-180-3900	750,1700
11	1	160-180-3700	350,770,1100,1700
12	1	160-180-2900	350,750,1700
13	1	160-180-4100	450,750,2005
14	1	160-180-3000	450,600,1600,2005
15	1	160-180-2800	600,900,1600
16	1	160-180-3500	890,1900
17	1	140-160-3500	
18	1	140-160-4600	
19	1	120-140-2100	
20	1	120-140-2100	
21	1	120-140-2350	
22	1	140-160-3600	
23	2	120-140-2500	
24	1	140-160-3100	
25	1	120-140-2900	
26	1	140-160-3400	
27	1	140-160-4000	




NORNA-PLAYGROUNDS

Max klatresystem

0102-049-001	Tegner HS	Godkendt af -
17.11.2023	REV.	A 04.06.2024

Use Taifun net for distance  
between beams



k = Kantskåret  
d = Dobbeltskåret  
v = Vinkelskåret  
h = Halvskåret  
t = k på 3 sider  
z = Speciel - se detalje  
f = Forboring + montering

Denne tegning er NORNA-PLAYGROUNDS ejendom, og må ifølge gældende lov ikke kopieres, overlades eller udnyttes af 3. mand. Sker dette, skal det påregnes, at der vil blive opkrævet et honorar på 10% af formodet enterprisesum.