

# Natural Soap



## Cleaning and protection of oiled wood

Clean and maintain oiled, waxed and soaped wood surfaces with Natural Soap. This mild, penetrating soap removes dirt and helps prevent the wood from drying out and cracking. It leaves behind a microscopic, breathable soap layer on the surface that maximizes resistance and makes the surface easier to keep clean. Natural Soap is indoor climate labelled and free of perfume and additives.

- Nourishing effect on oiled and soaped surfaces
- For regularly cleaning
- Ideal for floors, furniture, table tops and panels
- Indoor climate certified
- For the basic treatment of softwood

## Application area

WOCA Natural Soap is suitable for regular cleaning and maintenance of oiled, waxed and soaped wood surfaces. The soap is especially ideal for floors, furniture, table tops and panels. Natural Soap White is recommended for surfaces treated with white oil, while Natural Soap Natural is ideal for surfaces treated with natural or colour oil.

## Work description

### Preparation

Daily cleaning is made with vacuum cleaner or broom. The frequency of floor cleaning depends on the wear on the floor. Very dirty floors may be cleaned with WOCA Intensive Wood Cleaner before using Natural Soap. For basic treatment (soap saturation) of untreated or lye-treated softwood, 1 L soap to 10 L water is used. Wash the floor 3 times during the first 2 days with this mixing ratio. Let the surface dry.

### Always Remember

Always remember to test on a less visible spot to check the compatibility of the surface with the product.

### Treatment

Natural Soap is shaken carefully before use. Make sure the pigments are mixed well. 125 ml Natural Soap is mixed into 5 L of cold water. Wipe down the surface with a well-wrung mop. For best results, use two buckets: one with soap water and the second with clean water to rinse the dirty mop. Clean the floor with minimum quantity of water – leave soap water on floor briefly in order to dissolve dirt. Remove dirty soap water with hard-wrung mop or cloth and rinse out in bucket with clean water. Always wipe down the surface with soap water and a hard-wrung mop or cloth in order to re-establish the protective soap film.

### Please note

Use a mop/cloth containing cotton - don't use 100% microfiber. For best results, use two buckets: one with soap water and the second with clean water to rinse the dirty mop.

## Drying time

Drying time : 15-30 minutes at 20°

## Technical data

**Declaration:** >15% ≤30%: anionic surfacants.

**pH-value:** pH 9-10

**Shelf life:** 3 years

**Application Temperature:** +15-30°C and approx. 50% air humidity.

**Coverage:** 320-400 m<sup>2</sup>/L

**Colours:** Natural, White

**Cleaning of tools:** Use water

**Storage:** +10-25°C. Keep out of reach of children. Do not expose to heat (e.g. sunlight). Store frost-free during winter and cool during summer.

**Packaging:** 1 L - 2.5 L - 5 L

**Viscosity:** 20-25 Sec. DIN Cup 4

**Dilution:** Water

**Odour:** Odourless

**Mixing ratio:** 125 ml to 5 L water.

## Maintenance and related products

WOCA Denmark A/S  
Tværevej 6  
DK - 6640 Lunderskov  
+45 9958 5600  
info@wocadenmark.com  
wocadenmark.com

*This information is based on extensive laboratory testing and practical experience. Because the conditions under which the product is used are often beyond the control of WOCA Denmark, we can only guarantee the quality of the actual product. WOCA Denmark A/S accepts no liability for incorrect use and handling of the product. In principle, this product can be considered an intermediate product, as results depend on construction, the nature of the surface, pretreatment, temperature, air humidity, application etc. WOCA Denmark A/S reserves the right to change the product and the stated information without notice. This label/product description replaces all previous versions.*