




① PREPARE ② TREAT ③ MAINTAIN

PRODUCT RANGE

Woodcare is **in our nature**





Symbols

-  Packaging size
-  Coverage (m²/L)
-  Dilution
-  VOC (g/L)
-  Colour range

Go online!

- Technical Data Sheets
- Safety Data Sheets
- Product Specifications
- Worksteps
- Video Guides
- Product Photos
- Brochures & more

→ wocadenmark.com




Index

The WOCA System	4
Comparison of Surface Systems	5
Preparation of Wooden Surfaces	6
Wooden Surfaces, Prepare	7
Lacquer	8
Lacquered Floor, Prepare	9
Lacquered Floor, Treat	10
Lacquered Floor, Maintain	13
Hardfloor	14
Hardfloor PU, System	15
Oil	16
Oiled Floor, Prepare	17
Oiled Floor, Treat	19
Oiled Floor, Maintain	21
Oiled Surfaces, Treat	22
Oiled Surfaces, Maintain	24
Outdoor	30
Outdoor Surfaces, Prepare	31
Outdoor Surfaces, Treat	32
Accessories	34
Outdoor Hand Tools	33
Indoor Hand Tools	35
Polishing Machine Equipment	37
Certifications	38



Printed in Denmark on Swan-labelled and FSC-certified responsibly sourced Paper.

The WOCA System



Comparison of Surface Systems

for solid and engineered wood flooring

Water-based lacquer finishing systems

Film-building



Wax-based finishing systems

Slight penetration and film-building



Penetrating oil-/soap-based finishing systems


Deep penetration, natural look




Advantages:

- ✓ Generates a protective film on the surface
 - ✓ Ensures a dirt- and water-resistant surface
 - ✓ High chemical resistance
 - ✓ Provides a tough, durable and hard-wearing surface
 - ✓ Water-based and quick drying
 - ✓ Easy cleaning and maintenance
 - ✓ Ultra-Matt to High Gloss appearance
- ✓ Penetrates slightly into the wood and builds a film on the surface
 - ✓ Good resistance against liquids
 - ✓ Does not crack, flake, peel or blister
 - ✓ Enhances the natural appearance of the wood
- ✓ Penetrates deeply into the wood, and leaves a protective layer
 - ✓ Provides the most natural appearance of the wood
 - ✓ Ensures a dirt- and water-resistant surface
 - ✓ Can be renovated simply and partially without special machines
 - ✓ Does not crack, flake, peel or blister
 - ✓ Easy to maintain with Natural Soap, oil refresher, oils etc.
 - ✓ The natural, warm appearance of the wood is maintained for many years


Wear and tear:



- Regular cleaning with Master Cleaner and treatment with Master Care.
- The whole area needs to be sanded and treated at once.



- Regular cleaning.
- Special wax maintenance.
- Over time the wax generates a build-up and the whole area needs to be sanded and treated at once.



- Regular cleaning with Natural Soap and treatment occasionally with oil refresher.
- Treatment with Intensive Wood Cleaner and Maintenance Oil or Maintenance Gel.

Preparation of Wooden Surfaces

WOCA Intensive Wood Cleaner has been developed to help you achieve the best final result. Prepare the surface for treatment by prioritizing a thorough cleaning of wooden floors, furniture, tabletops and other wooden surfaces before you treat them with lacquer, soap, oil or stain. Thorough preparation is worth the effort, if you want to achieve the best-looking and most hard-wearing results.

✓ **Extends the lifetime of your wood**

Intensive Wood Cleaner effectively removes grime, grease, sanding residue and residues from the wood's own production of saps and sugar. Intensive Wood Cleaner opens the pores of the wood, so that soap, oil or stain has better penetration, going deeper into the wood. This extends the lifetime of the wood as it becomes more saturated.

✓ **Speeds up drying times**

Intensive Wood Cleaner thoroughly neutralizes the natural tannic acid in the top layer of the wood. The advantage of this is that any subsequent application of soap, oil and stain will dry more quickly, achieving the desired resistance much more quickly than would otherwise be the case. Tannic acid decelerates drying time.

✓ **Minimizes the risk of discolouration**


Wood with very high tannic acid content, such as oak, is very sensitive to discolouration. Neutralizing tannic acid by using Intensive Wood Cleaner makes it possible to reduce the risk of a final result that has suffered discolouration.

✓ **Intense colour tones and even colour distribution**

Using Intensive Wood Cleaner makes it possible to achieve greater surface colour intensity as the wood is better able to absorb the subsequent treatment. Because the wood pores are open, pigmented stains, soaps, oils and lacquers are able to penetrate deeply and more uniformly into the wood, thus producing an attractive and even colour distribution.

Intensive Wood Cleaner is the key to good results.

Intensive Wood Cleaner




	250 ml - 1 L - 2.5 L
	200-300 m²/L
	Water-Based
	Max. 10 g/L
	Colourless



- Treatment preparation
- Can be used on all indoor wood surfaces
- Effectively prepares the surfaces for treatment
- Basic cleaning and grease removal
- High efficiency

Intensive Wood Cleaner is a product that has been specially developed for the cleaning of all indoor wooden surfaces, such as furniture, floors, kitchen tables etc. and can be used on untreated, oiled or lacquered surfaces. Intensive Wood Cleaner is a priming cleaner, that can be used on particularly stubborn stains or before a surface is treated with for example oil, lacquer or soap.

Intensive Wood Cleaner Spray



	750 ml
	6-10 m²/L
	Water-Based
	Max. 10 g/L
	Colourless

- Treatment preparation
- Ready to use
- For untreated, lacquered, oiled or soaped indoor surfaces
- Basic cleaning and grease removal

Intensive Wood Cleaner is a ready-to-use spray designed for deep cleaning all types of indoor woodwork, such as furniture, stairs, doors, panels, and tabletops. It is effective on oiled, waxed, painted, and lacquered surfaces, and is specially developed to prepare wood surfaces for subsequent treatments.

Spot and stain remover:

Tannin Spot Remover and Wood Stain Remover are effective on all wooden surfaces.

→ Page 28

STEP 1

① Prepare

Prepare for treatment with Intensive Wood Cleaner

The key to a good end result is to prepare the surface for treatment.

→ Page 6-7

Lacquer

A wood floor coating provides a strong and durable surface that is easy to clean. The lacquer protects the floor by forming a protective layer that seals the wood, making it resistant to wear, dirt, and spills. The best results are achieved by applying 2-3 coats of lacquer.

Whether you need a standard residential lacquer or a high-performance lacquer for sports surfaces, we have the solution. Choose from matt, satin, or high-gloss finishes for a beautiful and functional floor.

Master Filler Aqua



	5 L
	15-20 m²/L
	Water-Based
	Free
	Colourless

- Water-based gap filler for wooden floors
- Easy to sand
- Elastic consistency
- Odour neutral

Master Filler Aqua is a water-based, thick and easy-to-sand gap filler for joins, holes and cracks in wooden parquet floors in e.g. brick or herringbone patterns. The filler produces a uniform finish, is extremely easy to work with and will not crack as it is elastic and allows the wood to work.

Master Filler Classic



	5 L
	8-10 m²/L
	Solvent-Based
	Max. 745 g/L
	Natural

- Solvent-based gap filler for wooden floors
- Quick-drying
- Easy to sand
- Elastic consistency

Master Filler Classic is a fast-drying solvent-based gap filler for joins and gaps in wooden floors, such as brick and herringbone pattern parquet. It is easy to work with and shortens the work process due to its fast drying time.




Wood Lye



	2.5 L - 5 L
	8-10 m²/L
	Water-Based
	Max. 10 g/L
	White, Grey

- Minimizes the yellowing process of the wood
- For a lighter finish
- Combination with oil, lacquer or soap as finish
- Suitable for any type of wood

Wood Lye is used for priming of untreated or newly sanded interior woodwork like floors, stairs, furnitures and panels. The priming minimizes yellowing of the wood and highlights the wood structure creating a coloured wash effect, depending on the chosen colour. Wood Lye is suitable for all types of wood.



Master Base Primer



	5 L
	8-10 m²/L
	Water-Based
	Max. 95 g/L
	Natural, Nordic White



- Priming of wood before lacquering
- Quick-drying
- Minimizes side-bonding
- Reduces penetration of tannic acid
- Gives the wood a light colour

Master Base Primer is a water-based, quick-drying wood primer. The primer seals the wood and minimises tannic acid penetration and side-bonding. It is only suitable for untreated or sanded surfaces for all wood types before treatment with other water-based WOCA floor lacquers.

Master Multi Primer



	5 L
	8-10 m²/L
	Water-Based
	Max. 735 g/L
	Silk-matt



- Base primer – Improves adhesion of lacquer
- Especially suited for exotic and old wooden floors
- Quick-drying
- Minimizes side-bonding
- Highlights the floor

Master Multi Primer is a fast-drying wood primer designed to seal the surface and enhance the adhesion of subsequent lacquer coatings. It is particularly well-suited as a problem-solving primer for old or previously treated floors, as well as for use on exotic or naturally oily wood species.

Basic RN 1K Lacquer



	5 L
	8-10 m²/L
	Water-Based
	Max. 85 g/L
	Matt gl. 10



- All round water-based solution for domestic areas
- Easy application
- Easy to sand

Basic RN 1K Lacquer is a water-based floor lacquer with low odour, that leaves the wood with a resistant and durable surface ideal for normal wear. The lacquer has a good performance and is suitable for domestic projects due to its remarkable flow and fast drying time.

Master EP Lacquer




	5 L
	8-10 m²/L
	Water-Based
	Max. 105 g/L
	Matt gl. 10



- All round water-based solution for domestic areas
- Indoor climate labelled
- Low odour
- Easy application, good flowability
- Durable, matte surface

Master EP Lacquer is a water-based, low-odor floor lacquer that provides wood with a durable and resistant surface, ideal for medium traffic. The lacquer combines excellent performance with suitability for residential use, thanks to its exceptional flow and quick drying time. It delivers a light, Nordic look and is particularly well-suited for oak surfaces.

Master Vista Lacquer



	5 L
	8-10 m²/L
	Water-Based
	Max. 105 g/L
	Matt gl. 10, Silk-matt gl. 20 Silk-gloss - gl. 40*

*MOQ 240 pcs.




- High-end solution for domestic areas
- Good resistance
- Low odour
- Easy To apply
- Indoor climate labelled

Master Vista Lacquer is a clear, water-based lacquer with low odour. It dries to a durable surface with good resistance. The lacquer adds only very little colouration to the wood. It is the perfect choice for family homes, as it combines easy application with tough protection for all rooms.

Visit our website:

- Product specifications
- Technical Data Sheets
- Safety Data Sheets
- Worksteps
- Video Guides
- Product photos
- Brochures and more

www.wocadenmark.com



Master TS-2K Lacquer



Durable lacquer for protection of high-traffic areas.



-  5 L + 100 ml Master Iso 2K Hardener
-  8-10 m²/L
-  Water-Based
-  Max. 90 g/L
-  Matt - gl. 10,
Silk-matt - gl. 20,
Silk-gloss - gl. 40*

*MOQ 240 pcs.

- For high traffic corridors and sports areas, very strong and resistant
- FIBA Approved (Competition Level 1)
- Approved for sports areas - DIN V 18032-2
- Anti-slip certified according to DIN 16165: R9 / **R10 slip resistance with Anti-slip Additive
- Indoor climate labelled
- Fire classification DIN EN 13501: Bfl-s1



Master TS-2K Lacquer is a two-component, water-based floor lacquer that has been specially developed for corridors, sports areas and multi-purpose halls that are exposed to high wear. It excels by providing tough protection, excellent durability and a remarkably high resistance to scuff marks, wear and scratches. This indoor climate labelled lacquer is applied in a convenient and safe way, and ensures a comfortable indoor climate afterwards.

Master RD-2K Lacquer



-  5 L + 100 ml Master Pure 2K Hardener
-  8-10 m²/L
-  Water-Based
-  Max. 90 g/L
-  Matt gl. 10,
Silk-matt gl. 20



- Extreme strength, excellent resistance and durability for public areas
- Light Nordic look
- R9 Anti-slip resistance / **R10 with Anti-slip Additive
- Fire classification according to DIN EN 13501: Bfl-s1

Master RD-2K Lacquer is a water-based, two-component lacquer with an isocyanate-free hardener, offering strong durability for high-traffic areas. It provides excellent protection, slip resistance, and resistance to black heel marks, scratches, and stains, while remaining clear, easy to apply, and indoor-friendly.

Master Invisible 2K Lacquer




-  5 L + 100 ml Master Iso 2K Hardener
-  8-10 m²/L
-  Water-Based
-  Max. 90 g/L
-  Ultra-matt gl. 5



- 2-component floor lacquer with a raw natural look
- Modern isocyanate-free hardener gives the product a 48 hours potlife
- Ultra-Matt gloss level 5
- Easy application
- Anti-slip R10

Master Invisible 2K Lacquer is a premium, water-based ultra-matt floor finish designed to provide wood with a natural, raw appearance and feel. Utilizing Invisible technology, it leaves the surface with a texture that mimics freshly sanded wood. The lacquer uses a modern, isocyanate-free hardener, offering a potlife of up to 48 hours. It is also certified with the indoor climate label.



Master TS-2K Line Marking




- 2.5 L + 100 ml Master Iso 2K Hardener
- 6-10 m²/L
- Water-Based
- Max. 95 g/L
- 6 colors



- Very strong and resistant
- For professional marking of sports floors
- Designed for use with Master TS-2K Lacquer
- 2-component

Master TS-2K Line Marking is a water-based, lacquer-based 2-component line marking developed for professional marking of lines in sports and recreational facilities. The product is specifically designed for use on lacquered wooden floors, where it provides a durable, long-lasting, and precise marking with high adhesion. Master TS-2K Line Marking is available in six standard RAL colors.



Master ISO 2K Hardener



- 100 ml
- Water-Based
- Max. 240 g/L
- Colourless



- Isocyanite Hardener for 2K lacquers
- Provides strength and resistance to lacquers
- Low odour
- Easy to mix and use

Master ISO 2K Hardener is a highly efficient hardener that activates and strengthens the lacquer and is very easy to work with.

Master Pure 2K Hardener



- 100 ml
- Water-Based
- Free
- Colourless



- Hardener for 2K lacquers
- No CLP classifications
- Isocyanate and aziridine free
- 48 hours potlife
- Easy to mix

Master Pure 2K Hardener is a highly efficient, isocyanate and aziridine free hardener that activates and strengthens the lacquer and is very easy to work with. The product has no CLP classifications.

Master Invisible White Additive



- 100 ml
- Water-Based
- Max. 30 g/L
- White

- Ensures a lighter finish
- Intensifies the white colour of Master Invisible 2K Lacquer
- Easy to mix

Master Invisible White Additive can be used in WOCA Master Invisible 2K Lacquer, where a lighter finish is wanted.

Anti-slip Additive



- 100 ml
- Water-Based
- Free
- Colourless

- For 2K lacquers. Gives an anti-slip surface
- Improves slip resistance
- For areas with high anti-slip requirements

Anti-slip Additive is a specialized product developed for use with WOCA's water-based lacquers, such as Master TS-2K, Master XP-2K, and Master RD-2K. It enhances slip resistance and creates a safer surface, particularly in high-traffic areas or places where increased safety is required.

Master Cleaner



	1 L
	320-400 m²/L
	Water-Based
	Max. 10 g/L
	Colourless



- For lacquered, vinyl and laminate floors
- Effective care and cleaning
- Produces a stronger, more resistant surface
- Fast and easy to use

Master Cleaner is the go-to choice for those seeking a quick and effortless way to clean lacquered wood, vinyl, and laminate floors. This soap effectively removes dirt and grime while strengthening the surface and enhancing its resistance to spills. Leaving no residue, it's particularly suited for areas requiring frequent cleaning, like kitchen floors. Additionally, Master Cleaner is versatile and can be used on painted floors, tiles, and other non-absorbent surfaces.

Master Care



	1 L
	60 m²/L
	Water-Based
	Max. 30 g/L
	Colourless



- For lacquered, vinyl/LVT and laminate floors
- Nourishing and refreshing treatment, extends the floor's lifespan.
- Protects against wear and scratches
- Indoor Climate labelled

WOCA Master Care is a maintenance product designed to smooth out small scratches, enhance surface resistance, and provide effective protection against wear. Its application helps extend the lifespan of surfaces or floors. Since it does not form a thick coating, WOCA Master Care can be applied as needed for ongoing maintenance.

Clean and Care Kit for Lacquered Wood



	1x 250 ml, 2x 1 L
	—
	—
	—
	—

- For vinyl, laminate, and lacquered floors
- Complete care set for cleaning and maintaining lacquered floors.
- Contains products for both daily and thorough cleaning
- Helps reduce the visibility of minor scratches
- Protects the surface against normal wear and daily use
- Contributes to preserving the floor's appearance and durability longer

WOCA Clean & Care Kit for lacquered wood contains the products necessary for cleaning and maintaining lacquered floors.

The set includes: 1 L Master Cleaner, 250 ml Intensive Wood Cleaner, 1 L Master Care, a cloth, and a user manual.



Intensive Wood Cleaner



	250 ml - 1 L - 2.5 L
	200-300 m²/L
	Water-Based
	Max. 10 g/L
	Colourless



- Treatment preparation
- Can be used on all indoor wood surfaces
- Effectively prepares the surfaces for treatment
- Basic cleaning and grease removal
- High efficiency

Intensive Wood Cleaner is a product that has been specially developed for the cleaning of all indoor wooden surfaces, such as furniture, floors, kitchen tables etc. and can be used on untreated, oiled or lacquered surfaces. Intensive Wood Cleaner is a priming cleaner, that can be used on particularly stubborn stains or before a surface is treated with for example oil, lacquer or soap.


Intensive Wood Cleaner Spray



	750 ml
	6-10 m²/L
	Water-Based
	Max. 10 g/L
	Colourless

- Treatment preparation
- Ready to use
- For untreated, lacquered, oiled or soaped indoor surfaces
- Basic cleaning and grease removal

Intensive Wood Cleaner is a ready-to-use spray designed for deep cleaning all types of indoor woodwork, such as furniture, stairs, doors, panels, and tabletops. It is effective on oiled, waxed, painted, and lacquered surfaces, and is specially developed to prepare wood surfaces for subsequent treatments.



Hardfloor

Complete Hardfloor PU system for renovation and maintenance of LVT, vinyl and linoleum floors. Durable, uniform and easy-to-clean surface – giving existing floors new life.

Hardfloor Intensive Cleaner

①



	2.5 L
	200-300 m²/L
	Water-Based
	Free
	Colourless



- Suitable for both wet grinding and basic cleaning
- For all elastic and hard floor types (linoleum, vinyl, PVC)
- Ensures optimal adhesion of Woca Hardfloor PU-Coating
- Ensures a clean and uniform surface before treatment
- Effective removal of grease, dirt, and stubborn stains

WOCA Hardfloor Intensive Cleaner is developed for effective cleaning and preparation of all types of elastic and hard floor coverings, such as linoleum, vinyl, and PVC. The product can be used for both wet sanding and thorough cleaning of floors, as well as for the removal of stubborn stains. Ideal as a pre-treatment before applying PU Coating, where it ensures a clean and optimally prepared surface.



Hardfloor PU-2K Coating



Extended lifespan for PU floors.

②



	4.5 L + 500 ml Hard-floor Iso 2K Hardener
	8-10 m²/L
	Water-Based
	Max. 90 g/L
	Matt - gl. 10, Silk-matt - gl. 20

- For renovating LVT, vinyl and linoleum floors
- Durable PU protection
- Extends the floor's lifespan
- Ideal for renovating existing floors
- Resistant to dirt and liquids
- Sustainable solution, renovation instead of new
- Reduced maintenance

WOCA Hardfloor PU-2K Coating is an effective maintenance solution that protects LVT, vinyl, and linoleum floors from daily wear and extends the floor's lifespan. The durable and easy-to-clean surface reduces dirt absorption and maintenance, making it ideal for high-traffic areas.



Hardfloor Cleaner

③



	2.5 L
	320-400 m²/L
	Water-Based
	Free
	Colourless



- Cleaning of vinyl, linoleum, and LVT floors
- Quick and efficient cleaning
- Easily removes dirt and grime
- Leaves a strong and resilient surface
- Ideal for frequent cleaning

Hardfloor Cleaner ensures quick and effective cleaning of vinyl, linoleum, and LVT floors. The product easily removes dirt and grime, leaving a strong and resilient surface. Since the product does not build up a soap film, it is ideal for areas that require frequent cleaning. It can also be used on painted floors, tiles, and other non-absorbent surfaces.

STEP 1

① Prepare

Prepare for treatment with Intensive Wood Cleaner

The key to a good end result is to prepare the surface for treatment.

→ Page 6-7

Oil

Floor and furniture oil effectively penetrates the wood's pores, providing deep protection against wear, dirt, and liquids. This process ensures a long-lasting surface that is also easy to maintain and refresh.

The oil enhances the wood's natural structure and glow while creating a silky matt finish that preserves an authentic and natural appearance.

Antique Oak Lye



	2.5 L
	8-10 m²/L
	Water-Based
	Max. 10 g/L
	Brown

- Provides oak a beautiful antique smoked look
- Creates unique colour solutions
- Reacts with tannin in wood - suitable for oak wood
- Design your own colour with subsequent oil or soap treatment

Antique Oak Lye produces a unique antique smoked oak look on wood. The product reacts with the tannic acid in the oak making the wood darker. The look depends on the amount of tannic acid in the oak. The lye is often used to create a unique colour and vintage patina appearance that is achieved after 1-2 months.

Softwood Lye



	2.5 L
	10-12 m²/L
	Water-Based
	Max. 10 g/L
	White

- Minimizes yellowing of softwood (Contains white pigments)
- Preserves the light colours of the wood
- Requires after-treatment with oil or soap
- Only for softwood

Softwood Lye is used for priming of unfinished or newly sanded interior wood-work such as floors, stairs, furniture, and panels. The priming prevents the wood from yellowing and enhances the natural grain of the wood, producing a white wash finish. Softwood Lye may be used for all types of softwood such as pine, spruce, and pitch-pine. Used on larch wood, an antique grey/brownish finish is created. Softwood Lye may not be used on hardwood. The final colour is achieved after 1-2 months.

DIN
EN 71-3


Wood Lye



	2.5 L - 5 L
	8-10 m²/L
	Water-Based
	Max. 10 g/L
	White, Grey

- Minimizes the yellowing process of the wood
- For a lighter finish
- Combination with oil, lacquer or soap as finish
- Suitable for any type of wood

Wood Lye is used for priming of untreated or newly sanded interior woodwork like floors, stairs, furnitures and panels. The priming minimizes yellowing of the wood and highlights the wood structure creating a coloured wash effect, depending on the chosen colour. Wood Lye is suitable for all types of wood.




Driftwood Lye



	2.5 L
	8-10 m²/L
	Water-Based
	Max. 10 g/L
	White, Grey

- Gives oak a weather-beaten patina
- Creates unique colour solutions
- Water-based
- Reacts with tannin in the wood - suitable for oak wood

Driftwood Lye is a unique, water-based product, which gives the wood a weather-beaten patina. The product is primarily for oak wood. By using this product, the wood will get a very nice two-dimensional design. Finally, the surface must be treated with one of the WOCA oils.



Pre-Colour



	2.5 L
	8-10 m²/L
	Water-Based
	Max. 160 g/L
	White, Black

- Water-based stain for interior wood
- Emphasizes the natural grain for a more attractive look
- Gives the wood a beautiful, coloured surface
- Can be used with all WOCA oils


Pre-Colour is a water-based stain for unfinished and sanded interior wood surfaces, such as floors, stairs, furniture and panels. The stain colours the wood and enhances the natural wood grain.



WOCA® Driftwood Lye, White
WOCA® Diamond Oil Active, Extra White



AKSEN, Aarhus Denmark.
WOCA® Diamond Oil Active, Natural.



© Colliers International Danmark A/S

In addition to the beautiful parquet flooring, the auditorium is fitted with elegant acoustic wall panels, upholstered tip-up seats, and sound-absorbing ceiling finishes.



© Colliers International Danmark A/S

Diamond Oil Active



- Oiling of wooden surfaces
- 1-component oil with the performance of a 2-component oil
- VOC-Free
- Extreme durability and resistance to scratches and marks
- High resistance to liquids such as water, coffee, tea, and red wine

Probably one of the best oils.



	*750 ml - 2.5 L
	20-25 m²/L
	Solvent-Based
	**Free
	10 colors

** VOC <1%



Diamond Oil Active is a sustainable, VOC-free oil for wooden floors, tabletops, and furniture. This premium, single-component, low-odor oil is durable, easy to apply, and minimizes waste. Its hyper cross-linking technology creates a water-repellent, non-slip surface that's easy to clean and maintain. With a dry matter content of approx. 99%, it's ideal for machine application on untreated or sanded wood of any type.



*Also available in 750 ml. *Natural *White *Extra White *Champagne Carbon Black *Concrete Grey Sand Grey Smoke Brown *Chocolate Brown Caramel Brown

Master Colour Oil




- Oiling of wooden floors
- Gives color and protection in one treatment
- Highlights the natural structure and appearance of the wood
- Creates a durable surface with high durability
- Effectively protects against water and dirt
- Can be overcoated with lacquer for enhanced protection and greater flexibility



	750 ml - 2.5 L - 5 L
	10-12 m²/L
	Solvent-Based
	Max. 140 g/L
	7 colours



Master Colour Oil provides beautiful colour and durable protection in a single treatment. It enhances the natural grain and character of the wood, protects against water and dirt, and can be overcoated with lacquer if required.



*Also available in 750 ml and 5 L. *Natural *White *Extra White Black Castle Grey Walnut Brazil Brown



Hardwax Oil Swift



	2.5 L
	20 m²/L
	Solvent-Based
	Max. 510 g/L
	Colourless - Matt

- Oiling and waxing of wooden floors
- Good protection against liquids such as water, coffee, tea, and red wine
- Durable and resistant to scratches and marks
- Does not need to be polished in
- High coverage

Hardwax Oil Swift is a fast-drying roll-on product for wooden floors, easy to apply without the need for polishing. It combines natural oils and waxes to create a durable surface with high resistance to liquids and stains. The floor acquires a neutral appearance and a non-slip, maintenance-friendly finish, making it ideal for the initial treatment of untreated, new, or newly sanded wooden surfaces.

Hardwax Oil Extreme



	2.5 L
	20 m²/L
	Solvent-Based
	Max. 8 g/L
	Natural



- Oiling and waxing of wooden floors
- VOC FREE
- Extreme durability and protection to the surface
- Good resistance to water, coffee, tea and red wine
- Easy to maintain using associated care products

Hardwax Oil Extreme is a low-odor quality product for oil treatment of wooden floors. It combines oil and wax to create an extremely durable and stain-resistant surface that protects against liquids and stains. The oil enhances the natural glow of the wood and provides a non-slip, easy-to-maintain surface. Ideal for priming untreated, new, or freshly sanded wooden surfaces.

Hardwax Oils are top coatings that combines natural oil and wax in a single product, ensuring an extremely robust surface with high resistance.

Invisible Oil Primer

①



	2.5 L
	8-12 m²/L
	Water-Based
	Max. 5 g/L
	Natural



- Primer for Invisible Oil
- Gives the floor an untreated appearance
- Resistant to liquids such as water, coffee, tea and red wine
- Gives the wood a beautiful, breathable surface
- Indoor climate certified

Invisible Oil Primer is a water-based wood primer with excellent adhesion that provides wood with a matte, untreated look when used in combination with WOCA Invisible Oil. The first step in WOCA's water-based oil system, ideal for light wood types. The system creates a comfortable, soft surface with a water-repellent finish that is easy to maintain.

Invisible Oil

②




	2.5 L
	30-40 m²/L
	Water-Based
	Max. 90 g/L
	Natural



- Wood floor oil with a neutral look
- Gives the floor an untreated appearance
- Resistant to liquids such as water, coffee, tea and red wine
- Gives the wood a beautiful, breathable 'soft feel' surface
- Indoor climate certified

Invisible Oil is a water-based, low-odor, single-component oil of the highest quality. Combined with WOCA Invisible Oil Primer, it provides wood with a matte, natural appearance and strong, water-repellent protection that is easy to maintain. Ideal for machine oiling of light wood types and as the second phase of WOCA's premium water-based oil system.



Invisible Oil Care

③



	750 ml
	30-40 m²/L
	Water-Based
	Max. 5 g/L
	Natural



- Top coat and care for Invisible Oil
- Cares for and maintains floors that have been treated with Invisible Oil Primer and Invisible Oil
- Resistant to liquids such as water, coffee, tea and red wine
- Gives the wood a beautiful, breathable soft feel surface

Invisible Oil Care is a water-based care product designed for maintaining surfaces treated with WOCA Invisible Oil. It refreshes the oiled surface and enhances resistance to stains and wear. As part of WOCA's premium water-based oil system, it should be used in conjunction with Invisible Oil Primer and Invisible Oil.

Maintenance Oil




	1 L - 2.5 L
	30-40 m²/L
	Solvent-Based
	Max. 130 g/L
	Natural, White



- Revitalises oil-treated wood
- Makes oiled floors even more durable
- Highlights the glow and the grain structure of the wood
- Gives the wood a beautiful, breathable surface
- Indoor climate certified

Maintenance Oil may be used for the maintenance of all oxidative oiled wood surfaces and is especially suitable for the regular maintenance of oiled wood floors. In addition to being very easy to use and ensuring minimal product waste, the maintenance oil refreshes the natural, warm glow of the wood and increases resistance to stains and waste. Maintenance Oil is suitable for both manual and machine application to oiled floors.





STEP 1

① Prepare

Prepare for treatment with Intensive Wood Cleaner

The key to a good end result is to prepare the surface for treatment.

→ Page 6-7

Worktop Oil




- Oiling of wooden worktops and furniture
- Safe for food contact
- Contains natural oils
- Provides a dirt and water-resistant surface
- Long lasting natural appearance
- Can be used on all wood varieties
- Highlights the glow and grain structure of the wood

Worktop Oil is an air-hardening oil that penetrates deep into the wood, leaving a tough water- and stain-resistant surface. The oil highlights the wood's natural glow and gives the surface a natural, fresh appearance. Worktop Oil is safe for food contact and can be used on surfaces that are untreated or that have previously been oil-treated and sanded.



	750 ml
	12-15 m²/L
	Solvent-Based
	Max. 295 g/L
	Natural, White



Beeswax Balm



	250 ml
	25-40 m²/L
	Solvent-Based
	Free
	Natural

DIN
EN 71-3

- Natural waxing of wood surfaces
- Creates a smooth finish on interior woodwork
- Water and dirt-resistant
- Enhances the natural structure of the wood
- Natural wax treatment of smaller wood surfaces

Beeswax Balm is for the basic treatment and maintenance of untreated, stained or lye treated wood surfaces indoors (especially for furniture and toys). Beeswax Balm is suitable for all wood species. The wax treatment gives the wood a dirt resistant and cleaning friendly surface.



Natural Soap




- Cleaning and protection of oiled wood
- Nordic Swan Label cleaning and care of wood
- Preserves the wood's natural appearance
- For all indoor wood surfaces
- Based on natural soaps
- Gentle on wood and the environment
- Cares for wood without drying it out

Clean and maintain oiled, waxed and soaped wood surfaces with Natural Soap. This mild, penetrating soap removes dirt and helps prevent the wood from drying out and cracking. It leaves behind a microscopic, breathable soap layer on the surface that maximizes resistance and makes the surface easier to keep clean. Natural Soap is indoor climate labelled and free of perfume and additives.



	1 L - 2.5 L - 5 L
	320-400 m²/L
	Water-Based
	Max. 10 g/L
	Natural, White



Natural Soap Spray




- Cleaning and protection of oiled wood
- Nourishing effect on oiled and soaped surfaces
- Ready mixed
- For regular cleaning
- Ideal for floors, furniture, table tops and panels

Natural Soap Spray is ideal for cleaning and maintenance of oiled, waxed and natural soaped surfaces. Natural Soap is a pre mixed quality soap, which due to its nourishing properties quickly closes the pores of the wood and protects against dirt and penetration of liquids. The ready-mixed Spray makes the maintaining of oiled furniture, doors, table tops, panels, stairs, floors easier.



	750 ml
	6-10 m²/L
	Water-Based
	Max. 10 g/L
	Natural, White






Untreated

Soap
white

Oil
white

Oil
natural



Oil Refreshing Soap



	1 L - 2.5 L
	150-200 m²/L
	Water-Based
	Max. 10 g/L
	Natural, White

- Natural, caring wood soap
- Clean and maintain in one operation
- For oil- and wax-treated wooden floors
- Adds nourishing oil to the surface
- Leaves a protective, matte finish
- Helps to maintain the natural appearance of the wood
- Enhances the natural colour of the wood

Oil Refreshing Soap is an oil and soap mixture for cleaning and maintaining oil- and wax-treated wooden floors. The product cleans the surface while also providing nourishing oil that penetrates the wood and leaves a protective, matte finish.

Oil Refreshing Soap Spray



	750 ml
	6-10 m²/L
	Water-Based
	Free
	Natural

- Revitalising natural cleaner for wood (ready to use)
- Protects and nourishes the wood
- Ready for use, easy to use
- Cleans and maintains the wood gently
- Leaves a protecting oil film on the wood surface
- Periodic maintenance for oiled surfaces
- Enhances the natural colour of the wood

Oil Refreshing Soap is for regular cleaning and maintenance of oiled wood surfaces. Oil Refreshing Soap combines efficient cleaning with re-oiling as additional oil penetrates into the surface and forms a matt protective layer on the surface.

Commercial Soap



	5 L
	320-400 m²/L
	Water-Based
	Max. 10 g/L
	Natural

- Universal floor cleaner
- Effective care and cleaning of all floors
- Particularly suitable for large flooring areas exposed to high frequency cleaning
- May be used both manually and with machine
- EN 71-3 Safe for children's toys
- Nordic Swan Label

Commercial Soap may be used for the cleaning of wood, regardless of wood species and surface treatment, as well as for tiles, vinyl and stone surfaces etc. The soap is especially suitable for high frequently cleaning of wood floors.

Oil Care



	1 L
	30-40 m²/L
	Water-Based
	Max. 15 g/L
	Natural, White

- Water-based revitaliser for oil-treated wood
- Simple application both manually and by machine
- Fast-drying
- Water-based maintenance product
- Indoor climate certified

Oil Care is a waterbased and indoor climate friendly maintenance oil that can be used on all oiled wood surfaces, oxidating as well as UV-/factory-oiled, and is especially suitable for the regular maintenance of oiled wood floors.

One soap that cleans, protects and renews.

Take good care of your wooden interior with our Care Kits – beautify your wood and extend its lifespan.



Maintenance Gel



	200 ml
	-
	Solvent-Based
	Max. 120 g/L
	Natural



- Revitalises oil-treated wood
- Suitable for all types of oiled surfaces
- Safe for Food Contact
- Makes surfaces even more durable
- Simple application both manually and by machine
- Excellent results on factory-oiled/hardwax oil surfaces

Maintenance Gel is for the care and maintenance of oiled indoor wooden surfaces and floors. The oil is quick-drying and leaves an attractive, water and dirt-repellent surface. Maintenance Gel is suitable for furniture, kitchen work surfaces, floors and other indoor wooden surfaces. It can also be used for improved results on factory-oiled/UV-oiled surfaces.

Tannin Spot Remover



	250 ml
	-
	Water-Based
	Max. 10 g/L
	Colourless

- Neutralises discolouration
- Removes black watermarks from wood
- Ready mixed - Easy to use
- Neutralises tannin
- Water Based
- for indoor and outdoor use

Tannin Spot Remover effectively removes black spots caused by tannin/water reaction on interior wood surfaces without any harsh or bleaching chemicals.

Wood Stain Remover



	250 ml
	-
	Water-Based
	Free
	Colourless



- Effective spot cleaner
- Removes stains from wood surfaces, e.g. coffee and red wine
- Ready mixed - Easy to use
- Sprayable

Wood Stain Remover effectively dissolves grease, red wine, coffee, tea etc. on unfinished, soaped, oiled or waxed interior surfaces. Wood Stain Remover is especially developed for indoor use to remove spots from wood surfaces by spraying.

Maintenance Kit Oiled Furniture



	1x 250 ml, 1x 100 ml
	-
	-
	-
	-

- Maintains and refreshes oiled wood furniture
- Cleans and maintains oiled wooden furniture
- Revitalizes the oil treatment and the appearance of the wood
- Complete set for regular maintenance
- Preserves the wood's natural protection
- Includes cleaning, care, cloth, and instructions

WOCA Maintenance Kit Furniture Oil, is developed for cleaning and maintaining oiled wooden furniture. The products clean the surface and refresh the oil treatment, preserving the wood's natural appearance and protection.

The kit contains: 100 ml Maintenance Gel, 250 ml Intensive Wood Cleaner, a lint-free cotton cloth, and a user manual.

Clean and Care Kit for Oiled Wood



	1x 250 ml, 1x 750 ml, 1 L
	-
	-
	-
	Natural

- Cleans and protects oiled floors.
- Complete kit for cleaning and maintaining oiled floors.
- Contains both WOCA Natural Soap and WOCA Maintenance Oil
- Suitable for regular maintenance of oiled wooden surfaces
- Maintenance Oil can be applied both manually and mechanically
- Helps to preserve the appearance and natural properties of the wood

WOCA Oil Care Kit contains products for cleaning and maintaining oiled floors.

The set includes: WOCA Maintenance Oil for the maintenance of oil-treated wooden surfaces and WOCA Natural Soap for regular cleaning. Maintenance Oil is used for the maintenance of oiled floors and can be applied both manually and mechanically. Natural Soap is a wood soap for cleaning oiled surfaces, which removes dirt and helps preserve the surface's properties.

Worktop Kit



	1x 250 ml, 1x 750 ml
	-
	-
	-
	Natural

- Oils and protects wooden countertops and furniture
- Everything you need - in a box
- Approved for contact with food (Glass & Fork)
- Contains natural oils
- Provides a dirt and water-repellent surface
- Can be used on all types of wood
- Highlights the wood's natural glow and structure

WOCA Worktop Kit is developed for the treatment and maintenance of countertops and other indoor wooden surfaces. Worktop Oil penetrates deeply into the wood and provides a durable, water- and dirt-repellent surface while enhancing the wood's natural color and structure. The oil is approved for contact with food and can be used on untreated, newly sanded, and previously oil-treated surfaces.


The kit contains: 0.75 L Worktop Oil, 250 ml Intensive Wood Cleaner, black sanding pad, white polishing pad, lint-free cloth, gloves, and a user manual.



Outdoor

Outdoor surfaces are exposed to wind and the elements, all year round. Durable surface protection and ongoing maintenance are therefore essential if you intend to have the longest possible benefit from your garden furniture, terraces, fences, sheds etc.

We offer a great range of cleaning and protective products for exterior wood, composite and stone etc.



After several years exposed to the elements, the bamboo cladding had developed green growth. WOCA Deep Cleaner removed the buildup without sanding, while WOCA Exterior Oil in Hazelnut refreshed the entire façade, giving it a beautiful, warm, dark colour and lasting protection.

©SPEE ARCHITECTS, The Netherlands.

Prepare: WOCA® Exterior Deep Cleaner. Treatment: WOCA® Exterior Wood Oil, Hazelnut.

© Ossip van Duivenbode

Exterior Wood Cleaner



	1 L - 2.5 L
	10-50 m²/L
	Water-Based
	Max. 10 g/L
	Colourless



- Removes dirt and stains
- Effective removal of dirt, stain and grease
- Prepares the surface for subsequent treatment
- Economical and easy to use
- Ideal for all species of wood

Exterior Wood Cleaner was developed for the thorough cleaning of all types of wood surfaces, such as terraces, garden furniture, fences, canopies, doors and windows. The product quickly and efficiently dissolves dirt, thereby assuring an optimal surface for subsequent treatment.

Exterior Deep Cleaner



	2.5 L - 5 L
	8-10 m²/L
	Water-Based
	Max. 10 g/L
	Colourless

- Removes dirt, stains and grey patina
- Rejuvenates old weathered and grey wood - removes patina
- Ready mixed - easy to use
- Deep cleaning
- Thick viscosity - Non dripping
- Removal of dirt and restores the natural colour of the wood

Exterior Deep Cleaner is an intensive cleaning product, which rejuvenates patinated outdoor wood. It is a ready-mixed, thick-flowing product, which is easy to apply, even to vertical surfaces. Exterior Deep Cleaner penetrates deep into the wood and removes dirt, coatings and grey patina. For optimum protection, the wood should be treated with WOCA Exterior Wood Oil after cleaning.

Exterior Wood Primer



	2.5 L
	10-15 m²/L
	Water-Based
	Max. 10 g/L
	Natural

- Water-based primer for highly absorbent wood
- Reduces cracking and deterioration of wood
- Extends the lifetime of wood
- Protects the wood against moisture
- Ideal for all softwood and vulnerable wood

Exterior Wood Primer is a water-based primer for priming surfaces such as façades, windows, fences and carports. The product protects the wood, as well as enhancing adhesion and durability of a subsequent surface treatment. Exterior Wood Primer is very well suited for fir, accoya, larch, pine, oak and non-impregnated wood.



Exterior Wood Oil



	*750 ml - 2.5 L
	8-12 m ² /L
	Water-Based
	Max. 50 g/L
	14 colors



**Long-lasting
protection for wood,
preserving its beauty
and durability.**

- Water-based oil for outdoor wood
- Provides a strong water and dirt-repellent surface
- Enhances the natural colour and grain of the wood
- Contains UV filter and protects the wood from deterioration
- Thick viscosity - no dripping - easy to use
- Provides an open-pored, breathable surface
- Fast-drying

Exterior Wood Oil is to be used outdoors for basic treatment and maintenance of new and previously oiled wood surfaces such as decks, garden furniture, cladding etc. The special water-based composition of oil components ensures that the product is water-dilutable and friendly to the environment. The oil enhances the natural colour and grain of wood. Exterior Wood Oil Natural is recommended to enhance the natural colour structure of the wood. For rejuvenating of old wood surfaces, the pigmented oils are ideal as they recreate the original colour of the wood. A change of colour of the deck is also possible by applying e.g. the grey, anthracite or black oil.



*Also available in 750 ml.

Natural ★ Teak ★ Black Grey Walnut Caramel Bangkirai Larch Anthracite White Hazelnut Merbau Thunder Grey Stone Grey





Exterior Wood Shield



	2.5 L
	10-15 m²/L
	Water-Based
	Max. 10 g/L
	Colourless

- Long-lasting protection of untreated wood
- Protects the beautiful grey patina of the wood
- Gives the wood a water and dirt-resistant surface
- Extends the lifetime of the wood
- Increases the resistance of wood to wind and weather
- Also suitable for absorbent outdoor surfaces such as tiles, concrete and stone
- Ready To use

If left untreated, outdoor wood takes on a beautiful grey patina. You can now maintain this look, while at the same time giving the wood long-lasting protection and extend its lifetime. The solution is Exterior Wood Shield, which is ideal for the treatment of untreated outdoor wooden surfaces, such as wooden garden furniture and patios. Exterior Wood Shield produces a water- and grime-resistant surface, while retaining the patina of the wood, as it does not add colour to it.

Accessories

Outdoor Tools

Applicator incl. 9" Pad



Size:	23 cm (9")
Unit:	1 pc.
Item no.:	880151

WOCA Oil Applicator has a comfortable and practical handle, that is easy to operate and has a wide sponge ensuring that the oil is distributed in a thin and even layer.

Replacement Pad 9"



Size:	23 cm (9")
Unit:	10 pcs.
Item no.:	880153

Replacement Pad 9" for WOCA Applicator 880151. Designed for easy application of cleaners, oils, and maintenance products on wood surfaces. Ensures even distribution and gentle, effective cleaning.



Accessories





Spray Mop




Unit:	6 pcs.
Item no.:	599820

- Universal Spray Mop with refillable bottle
- Ready to use without a bucket with integrated spray function
- Quick and easy cleaning
- Reusable microfiber cloth, machine washable
- For all types of floors
- Light and ergonomic design
- Machine-washable cotton/microfiber Mop Pad included

WOCA Spray Mop is a practical and refillable all-in-one solution for quick and effective cleaning of all types of floors. The lightweight and ergonomic design combined with a flexible 360° rotating mop head makes it easy to maneuver around furniture and into hard-to-reach areas.

The superabsorbent and reusable microfiber cloth effectively collects dust, dirt, and grime while gliding easily over the floor's surface.

Just fill the container with your preferred WOCA cleaning solution, spray, and wipe. WOCA Spray Mop ensures easy, quick, and convenient cleaning in everyday life.




Spray Mop Pad



Unit:	6 pcs.
Item no.:	599825

Reusable, replacement Mop Pad for Spray Mop. Super-absorbent cotton/microfiber blend for dry dusting and wet cleaning. Machine-washable and easy to attach.

new



Lye Wiper Handle



Size:	40 cm
Unit:	1 pc.
Item no.:	88001

The lye wiper fits the corresponding fur (88002). Together, the wiper and the fur make it easy to apply an even layer of lye or stain to wooden floors.



Lye Wiper Fur



Size:	40 cm
Unit:	1 pc.
Item no.:	88002

Lye Wiper Fur for applying lye and stains evenly to wooden floors. The head is made from durable, washable microfibre and fits the Lye Wiper Handle (88001).



Roller Holder



Size:	25 cm
Unit:	10 pc.
Item no.:	599650

High-quality lightweight handle for oil and lacquer rollers with a comfortable plastic grip, suitable for all WOCA rollers.



Lacquer Roller



Size:	25 cm
Unit:	10 pc.
Item no.:	88005

The WOCA Roller for lacquer is made from high-quality microfibre, making it ideal for applying water-based paints and lacquers. The microfibre material holds a large amount of product, reducing the need for frequent re-dipping and ensuring optimal, efficient working conditions.



Oil Roller



Size:	25 cm
Unit:	10 pcs.
Item no.:	88004

High-quality roller for applying oils and hardwax oils in a thin, even layer. The lint-free velour roller fits the WOCA roller frame, is washable, and can be reused multiple times. Ensures a smooth, refined surface finish.



Hand Scrubber Flex Kit



Size:	150 x 90 mm
Unit:	8 pcs.
Item no.:	599752A

Hand Scrubber Flex makes polishing work quick and efficient and is suitable for all types of wooden surfaces, both indoors and outdoors — such as wooden floors, tabletops, and furniture. It is also suitable for cleaning other surfaces with heavy dirt and provides thorough results with regular cleaning.



Grab Handle for Pad



Size:	235 x 100 mm
Unit:	10 pcs.
Item no.:	88041

Professional grip in sturdy plastic with Velcro for easy mounting of polishing pads. The large grip makes it easy to apply, sand, and polish in corners and along walls.



Pad Holder Flexible



Size:	235 x 100 mm
Unit:	10 pcs.
Item no.:	399710

Professional, sturdy handle with Velcro for easy attachment of polishing pads. The large grip makes it easy to polish and sand along walls and in corners. The handle can be rotated 360° for flexible use.



Oil Sponge



Size:	227 x 95 mm
Unit:	6 pcs.
Item no.:	599622

WOCA Oil Sponge is ideal for easy and precise application of oil on wooden floors and other wooden surfaces. The sponge fits WOCA handles, such as the flexible Pad Holder, making the work both efficient and comfortable.



Wool Pad



Size:	250 x 115 mm
Unit:	10 pcs.
Item no.:	596061

WOCA Wool pad can be used for application and polishing of care products onto the wood easy and quick.



Standard Pad, 8 mm



Size:	250 x 115 mm
Unit:	10 pcs.
Item no.:	88034 - Green (Coating) 88036 - White (Buffing)

These polishing pads/sanding discs make it quick and easy to clean, remove, and polish oils and other surface treatments – completely without the use of chemicals. They ensure an effective and gentle treatment of wood surfaces with a beautiful, uniform result.



Super Pad



Size:	250 x 115 mm
Unit:	10 pcs.
Item no.:	88039 - Beige (Coating) 88040 - White (Buffing)

These extra thick and durable polishing pads/sanding discs make it quick and easy to clean and polish oils and other surface treatments – completely without the use of chemicals. The robust quality ensures effective and gentle treatment with a beautiful, uniform result.



Polishing cloth



Size:	50 x 55 mm
Unit:	25 pcs.
Item no.:	596055

The highly absorbent polishing cloth is ideal for the final polishing of oil-treated wooden floors. It easily removes excess oil during polishing, whether done manually or with a machine. The cloth can be used on both sides and offers excellent absorbency.



Sprayhead



Unit:	10 pcs.
Item no.:	399730

Sprayhead for application of maintenance products. The sprayhead fits the original WOCA plastic cans - size 1L, 2,5 L and 5 L



Finish Sanding SPP 16"



Unit:	10 pcs.
Item no.:	595058

This long lasting non woven medium surface preparation pad cleans and removes old surface treatment quick and easy with out chemicals.



Polishing Pad Wool 16"



Unit:	10 pcs.
Item no.:	88047

WOCA Wool pad can be used for dry buffing an oiled floors. The wool pad gives the surface a smooth and soft-feel surface and speeds up the hardening proces of the oil.



Standard Pad 16"

Unit:	10 pcs.
Item no.:	88015 - Black (hard/stripping) 88014 - Green (medium/coating) 88009 - Beige (medium/buffing) 88013 - White (soft/buffing)

These non woven fine surface polishing pads cleans, removes and polishes oils and other surface treatment quick and easy with out chemicals.



Super Polishing Pad 16"



Unit:	10 pcs.
Item no.:	86158 - Green (medium/coating) 86157 - Beige (medium/maint) 86156 - White (soft/buffing)

These extra thick and durable non woven fine surface polishing pads cleans, removes and polishes oils and other surface treatment quick and easy with out chemicals.



Patina Disc



Size:	Ø150 mm
Unit:	6 pcs.
Item no.:	595095A

WOCA Patina Discs for wet polishing of oil into the surfaces. Patina Disc polish-es the oil deeper into the wood and improves the surface's chemical resistance, making the surface extra resistant to water and stains. Specially designed to be used on in the last layer of oil to improve penetration.



Sanding Grit 16"



Unit:	10 pcs.
Item no.:	86160 - Grit 60 86161 - Grit 80 86162 - Grit 100 86163 - Grit 120

Sanding Grit for surface preparation before applying lye, oil or lacquer, and cutting back grain raise after coating.



Certifications



EC1^{PLUS} Emission class

The international premium class Emicode EC1-PLUS defines even stricter limit values for very low emissions from indoor installation materials for walls and floors. Products awarded this quality seal help ensure a clean indoor air climate by limiting harmful emissions, often to levels that are barely measurable.



Environmental Data

Environmental Product Declaration (EPD) supports greater transparency and documented sustainability. EPDs present verified data on a product's environmental impact throughout its entire life cycle, based on recognized standards and third-party verification.



Nordic Swan Ecolabel

The Nordic Swan Ecolabel is the official Nordic ecolabel. The environmental certification sets strict requirements for the entire product life cycle to reduce environmental impact and make it easier to choose more eco-friendly products.



DIBt Approvals

DIBt is a German institute that tests and issues technical approvals for building materials. The aim is to improve the working climate for floor installers whilst ensuring a safe indoor air quality for the final consumer.



The Indoor Climate Label

Danish Interior Climate Labelling is a voluntary labelling system for products and materials which can document the effect of degassing. Indoor climate labelled materials are a natural component in sustainable construction, where a good indoor air quality contributes to social sustainability.



FIBA Sports floors

The FIBA Equipment & Venue Centre is entrusted by FIBA to run a strict high-quality and comprehensive Approval Programme for basketball related products and equipment. Only established companies may submit their products for approval.



A+ Emission class

The French labeling system is a mandatory classification of materials, such as floor treatment products, based on their VOC emissions to indoor air. A+ is the highest rating, indicating improved indoor air quality with very low emissions.



Sports floors

DIN EN 14904 is the European standard that specifies requirements for surfaces for indoor sports facilities.



Biobased

Biobased Carbon Content ASTM D6866-22 is an international standard method utilized for product testing. The result is reported as % Biobased Carbon. This indicates the percentage carbon from 'natural' (plant or animal by-product) sources.



Slip resistance

DIN EN 16165 is the European standard for determining slip resistance on floor surfaces with a classification from R9 to R13. The Anti Slip test is used to ensure safe traffic for all types of floors in public areas and workplaces etc.



Food Contact Materials

The glass and fork symbol indicates that products comply with the requirements for Food Contact Materials (FCM), confirming a high level of food safety when treating wooden surfaces such as kitchen and dining tables.



Fire test

DIN EN 13501-1 is the European standard specifying how building materials react in case of fire. Bfl-s1 classifies flooring with low combustibility and very low smoke development.



FSC Certification

The Forest Stewardship Council (FSC) internationally promotes responsible forest management. FSC certification helps identify products sourced from responsibly managed forests that protect ecosystems and support local communities.



Safety of toys

DIN EN 71-3 is the European standard ensuring that materials do not release toxic substances in amounts harmful to children. Particularly relevant for materials such as toys, kitchen utensils, worktops and furniture.



COMPANY WITH MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 9001 ▪ ISO 14001

WOCA Denmark is certified according to ISO 9001:2015 the international standard for quality control; and ISO 14001:2015 the international standard for environmental management. The quality and environmental management systems ensure, that sales, supply, product development and production are conducted according to defined procedures and instructions known by all members of staff.

ISO 9001 ensures that the defined quality of procedures and products is guaranteed – and therefore the products feature uniform quality. **ISO 14001** takes into account all aspects concerning the environment. This applies to choosing raw materials, the internal working environment, but also the handling of waste. Furthermore, new targets for the improvement of quality and environment are set permanently.

WOCA Denmark has been caring for floors, furniture and outdoor wood surfaces since 1969. We believe that all wooden surfaces deserve to be cared for with quality products that keep them looking clean, durable and beautiful for as long as possible. Today, we are an international company – but our Danish roots can still be clearly seen in our high quality standards and our outlook.

We take great care to limit our environmental impact and to live up to our customers expectations when they use WOCA products to prepare, treat or maintain their materials.



Danish production of quality
products for woodcare since 1969.

Distributor:

